



2090/G/DIM/NE Calabrone

design emiliana martinelli, 2015

Modular hanging lamp swivel direct light with 4 swivel spot for LED light source. Black lacquered aluminium structure. Electronic drivers into the box fixed at the ceiling. Also available the joint of connection for the combination of more modules (code 30869).

Interchangeable lens 10° - 40° (on request).



2016

2090/G/DIM/NE calabrone

family:	calabrone	Body Color:	●
Designers:	Emiliana Martinelli	Body Materials:	aluminium
Utilization:	indoor		
Typology:	pendant		
Certifications:			
Market:	This item is available in the following countries: EUROPE		

Dimensions

Width:	-
Height:	-
Length:	270 cm
Depth:	7,5
Diameter:	4,5 cm

Hole Diameter:	-
Hole Depth:	-
Net weight:	7 Kg

Light Source

Watt:	8 x 9W
Lumen:	8 x 1334 lm (10672 lm)
Light Source:	led
CRI:	>80
duration:	50000
CCT:	3000K
Energy degree:	A++

Device Specifications


Type of emission:	direct	Power cable length:	400 cm	Driver:	included
Power:	-	Steel cable length:	350 cm	Power supply assembly:	external
Light output:	-	Glow Wire Test:	-	Power supply:	electronic dimmable power supply
Beam angle:	-	Impact Resistance:	-	Type of dimming:	push/dali
				Voltage:	230V



Connection joint



technical drawing




Dimensions

Width: -
Height: -
Length: 270 cm
Depth: 7,5
Diameter: 4,5 cm

Hole Diameter: -
Hole Depth: -
Net weight: 7 Kg

photometrics data





Calabrone 2090/G/DIM/NE

design emiliana martinelli, 2015

