

## Ginger Joan Gaspar








Ginger B 20/44


Ginger B 20/63



Post accessory

Ø7,6cm

Ø19,5cm




**Ground fixation plate** 



Ø11cm



Ginger B 20/86 Ø19,5cm







Ginger B 20/44

#### Light source:

LED SMD 24Vdc 5W 2700K CRI90 495lm Luminaire: (Power supply not included) 161lm

#### Ginger B 20/63

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm Luminaire:

(Power supply not included) 161lm

#### Ginger B 20/86

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm Luminaire: (Power supply not included) 161lm

LED included

#### Lacquered aluminium structure and diffuser, with white interior always.

Black-White (RAL 9005 - 9010) Rust brown



\*Dimmable dependiendo de la fuente de alimentación adquirida. Alimentación eléctrica remota de 24V a pedir por separado.




Download Assembly Instructions Download 2D Download ЗD **Download** Fotometrías

#### Range



info@marset.com www.marset.com

> The collection features new floor lamps, raised by means of a post that can be buried in dirt or gravel, perfect for illuminating pathways, gardens, terraces, and walls, and blending nicely with vegetation.



#### Ginger B 32/65

#### Ginger B 32/88





Ground fixation plate



Post accessory

Ø11cm

65cm



info@marset.com www.marset.com

# 111cm



Ø11cm

Ginger B 32/88

1030lm

Fuente de luz:

Fuente de luz: LED SMD 24Vdc 10W 2700K CRI90 1030lm

LED SMD 24Vdc 10W 2700K CRI90

Ginger B 32/111 Fuente de luz: LED SMD 24Vdc 10W 2700K CRI90 1030lm

LED incluido

#### Lacquered aluminium structure and diffuser, with white interior always.

Black-White (RAL 9005 - 9010) Rust brown




\* Dimmable depending on the purchased power supply . 24V remote power supply to be ordered separately.



Download Assembly Instructions Download 2D Download ЗD Download Photometric data






#### marset





Ginger 60C IP65



Ginger 42C IP65




ø60 cm



16.4 cm

Ginger 15C IP65

info@marset.com



Ginger 15C IP65 \*

Ginger 20C IP65 \*

Ginger 32C IP65

Ginger 42C IP65

Ginger 60C IP65

12,8 cm

Luminaire:

Luminaire:

Luminaire:

Luminaire:



Light source: LED SMD 24Vdc 5W 2700K CRI90 495Im

Light source: LED SMD 24Vdc 5W 2700K CRI90 495Im

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm

(Power supply not included) 67Im - Black-White

(Power supply not included) 27Im - Rust brown

(Power supply not included) 161lm - Black-White (Power supply not included) 29lm - Rust brown

220 - 240 VAC TRIAC 9W 350Im - Black-White 220 - 240 VAC TRIAC 9W 81lm - Rust Brown

180 - 295 VAC TRIAC 19,71W 698lm - Black-White 180 - 295 VAC TRIAC 19,71W 186Im - Rust brown



Ginger 20C IP65

Ginger 15C IP65



Painted aluminium diffuser. Lacquered black matt injected aluminium dissipater.

IP65

Rust brown Black-White (RAL 9005 - 9010)




dimmable





Download Assembly Instructions Download 2D Download 3D Download Photometric data




Light source: LED SMD 700mA 22,4W 2700K CRI90 2933Im Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm - Black-White 180 - 295 VAC TRIAC 26,09W 245lm - Rust brown


Light source: LED SMD 700mA 16,28W 2700K CRI90 1873Im

LED included

The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust brown for the exterior, which creates new and intense lighting effects.



#### Ginger 60/298



Ground fixation plate



Ginger 60/298

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm Luminaire: 90 - 305 VAC 1-10V 35,8W 1463lm

LED included

Lacquered steel structure with black matt injected aluminium dissipater, and lacquered aluminium diffuser with white interior.

Black-White (RAL 9005 - 9010)



Download2DDownload3DDownloadPhotometric data

Range



info@marset.com www.marset.com


The lamppost-at almost 3 meters high-is a design of function, a centrepiece of our new outdoor collection, on sober black, which discreetly illuminates your garden or the entryway to your outdoor space.

#### marset






#### Ginger 32A IP65



#### Ginger 20A IP65



#### Ginger 20A IP65 \*

Light source: LED SMD 24Vdc 5W 2700K CRI90 495Im Luminaire:

(Power supply not included) 161lm - Black-White (Power supply not included) 29lm - Rust brown

#### Ginger 32A IP65

Light source: LED SMD 700mA 8,2W 2700K CRI90 913Im Luminaire:

220 - 240 VAC TRIAC 9W 350Im - Black-White 220 - 240 VAC TRIAC 9W 81Im - Rust Brown

LED included

### Painted aluminium diffuser. Lacquered black matt injected aluminium dissipater.

Rust brown
Black-White (RAL 9005 - 9010)



DownloadAssembly InstructionsDownload2DDownload3DDownloadPhotometric data



info@marset.com

The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust brown for the exterior, which creates new and intense lighting effects.