

#### Technical Information

Light source: OSRAM SMD 2835

Colour temperature: 2700K, 3000K & 4000K (switchable)

Colour rendering index: CRI > 80

RGB: Red, orange, yellow, green, blue, indigo & violet (switchable)

Dimmer: Stepless dimmable 5%-100%

Memory function: Memory of brightness, colour temperature and RGB

Luminaire wattage: 10W

Voltage: DC3.7V

Luminaire luminous flux: 600lm

Light distribution: Wide

Battery type: 18650 Li-ion battery Battery capacity: 13200mAh

Battery charge:  $\leq$ 7.5 hours (Fast charging)

Battery life: ≥ 9 hours (100% light intensity)

Battery charge protection: Equipped with a self-protection system Adapter included: CLASS II; Input AC100-240V; Output DC5V 3A;

Single contact charging base included: 2.0m USB cable

Double switch: ON/OFF & dimmer switch, CCT & RGB switch

Protection class: IP 65 Impact strength: IK 06

Safety: Class III Weight: 9.4KG







# Comfort Atmosphere

Feeling of comfort atmosphere. RGB control can switch base on different environments and visual needs.

# Step RGB (switchable)

RGB 7 colors: red, orange, yellow, green, blue, indigo & violet.

red orange yellow green blue indigo violet







## 2700K, 3000K & 4000K (Switchable)

Colour temperature 2700K/3000K/4000K switchable.





# Stepless Dimmable

Touch stepless dimmable 5%-100%. You can adjust the brightness of the lamp according to your request.


5%			100%





# Double-sided Output

The lamp lights up and down, can provide lighting and atmosphere at the same time.







### Colour & Finish

Rechargeable floor lamp is available in:





### **Fast charging** ≤ 7.5 hours

(0% → 100% recharging)

## **Battery life** ≥ 9 hours

(100% light intensity)

### Accessories

Description: USB Adapter, CLASS II, Input AC100-240V, Output DC5V 3A.



Description: Floor lamp round shape single charger (contact charging base).



